

92 RF 9296

EG&G ROCKY FLATS

DIST.	LTR	ENC
AMIN, A.		
IAN, H.S.		
ANCH, D.B.		
CARNIVAL, G.J.		
COPP, R.D.		
DAVIS, J.G.		
EVERED, J.E.		
FERRERA, D.W.		
GOODWIN, R.		
HANNI, B.J.		
HARMAN, L.K.		
HEALY, T.J.		
HILBIG, J.G.		
DEKER, E.H.		
KENNEDY, C.E.	X	X
KERSH, J.M.	X	X
KIRBY, W.A.		
KRIEG, D.		
KUESTER, A.W.		
LEE, E.M.	X	X
MAJESTIC, J.R.		
MARX, G.E.		
MCDONALD, M.M.		
MELLEN, J.B.	X	X
MORGAN, R.V.	X	X
PIZZUTO, V.M.		
POTTER, G.L.	X	X
RISING, T.L.	X	X
SANDLIN, N.R.		
SCHUBERT, A.L.	X	X
SHEPLER, R.L.		
SULLIVAN, M.T.		
SWANSON, E.H.		
TALLMAN, K.G.		
WIEBE, J.S.		
WILKINSON, H.B.		
WILSON, J.M.		
WILSON, J.O.		
BARRETT, J.	X	X
BRETZKE, C.D.	X	X
CHURCH, A.A.	X	X
EDRICH, P.W.	X	X
GREGORY-FROST	X	X
JOHNSON, M.L.	X	X
TALLMAN, D.S.	X	X
TICKNOR, K.W.	X	X
CORPES CONTROL	X	X
SWM TRNG.	X	X

EG&G ROCKY FLATS, INC.

ROCKY FLATS PLANT, P.O. BOX 464, GOLDEN, COLORADO 80402-0464 • (303) 966-7000

August 14, 1992

92-RF-9296

Terry A. Vaeth
Manager
DOE, RFO

Attn: M. Vargas

BUILDING 371 TANK SYSTEMS RCRA INTERIM STATUS CLOSURE PLAN -
JMK-0774-92

Enclosed is a draft letter to the Colorado Department of Health (CDH) transmitting a proposed Closure Plan for out-of-service mixed residue tank systems in Building 371. The enclosed Closure Plan is being submitted in accordance with proposed Consent Decree and Amended Compliance Order (No. 91-07-31-01) which are currently under negotiation to settle Colorado Department of Health v. U. S. Department of Energy (No. 91-B-1326).

We suggest that this Closure Plan be submitted to CDH by September 13, 1992, in accordance with the State RCRA Permit Modification for Mixed Residues dated June 30, 1992 and the Mixed Residue Tank Systems Management Plan dated March 31, 1992.

If you have any questions regarding this issue, please contact Pam Edrich at extension 7752 or Kirk Ticknor at extension 6344.

[Signature]
J. M. Kersh, Associate General Manager
Environmental and Waste Management

KWT:aaf

Orig. and 1 cc - Terry A. Vaeth

Enclosures:
As Stated

CC:
W. C. Rask - DOE, RFO

CLASSIFICATION:

CONFIDENTIAL		
SECRET		
UNCLASSIFIED	X	X
CONFIDENTIAL		
SECRET		

AUTHORIZED CLASSIFIER

SIGNATURE
ARL DALLACCA (UW)
Phone 8-11-92
DATE *[Signature]*

IN REPLY TO REFERENCE NO.

none

OPTION ITEM STATUS

EN ☒ CLOSED
☐ PARTIAL

APPROVALS:
ORIG & TYPIST INITIALS
KWT:AAF

ADMIN RECCRD

REVIEWED FOR DISSEMINATION/UCNI	
BY	G. T. GARRA 820
DATE	8-19-92

DRAFT

DRAFT

DRAFT

Gary W. Baughman, Unit Leader
Hazardous Materials and
Waste Management Division
Colorado Department of Health
4210 East 11th Avenue
Denver, Colorado 80220

Dear Mr. Baughman:

The United States Department of Energy (DOE) is submitting the enclosed Building 371 Tank Systems Resource Conservation and Recovery Act Interim Status Closure Plan. This document provides a plan for closing 64 out-of-service mixed residue tank systems in Building 371. The Closure Plan is being submitted in accordance with the proposed Consent Decree and Amended Compliance Order (No. 91-07-31-01) which are currently in negotiation to settle Colorado Department of Health v. DOE (No. 91-B-1326).

If you have any questions, please contact Tom Lukow at 966-4651 or Debbie Mauer at 966-5922.

cc:

F. Dowsett - CDH
N. Matsuura - CDH
T. Lukow - DOE, RFO
D. Mauer - DOE, RFO
W. Rask - DOE, RFO
W. E. Seyfert - DOE, RFO
M. Vargas - DOE, RFO
D. M. Maxwell - EPA, Region VIII
P. W. Edrich - EG&G Rocky Flats, Inc.
A. L. Schubert - EG&G Rocky Flats, Inc.